Update on Washington's Bike and Walk Data Network: How Permanent Counters & Annual Counts Work Together





Presenters:

Kelli Refer Statewide Engagement Director, Cascade Bicycle Club

Ed Spilker Active Transportation, WSDOT

Julie Jackson GIS Mapping, Training and Support, WSDOT



Kim Brown, ADA/ Transportation Options Coordinator for the City of Bellingham

Amanda Mansfield, Associate Transportation Planner for Spokane Regional Transportation Council



Why does ped/ bike data matter?

- Provide Data for
 Transportation Plans and
 Comprehensive Plans
- Strengthens Funding Requests
- Builds Support for Policies like Complete Streets and Vision Zero



Cascade policy strategies



Building bicycle networks in cities & towns



Making bikes count



Connecting regional trail networks



Keeping people safe & preventing injury



Training advocates across the state



Passing bike-friendly ballot measures



State & federal relations for better bicycling

What is next?



- Use the WSDOT Bike/Ped Portal
- Save the date for the annual bike/ ped counts on September 26-28th



Update on WSDOT's Bicycle and Pedestrian Count Program

Ed Spilker, State Bicycle and Pedestrian Coordinator WSDOT Active Transportation Division
June 22, 2017

Counting Bicyclists and Pedestrians: Expansion and Evolution of WSDOT's Count Program


- Manual Counts
- Permanent Counter Network
- Volume Metrics
- Count Guidebook (Sept 2017)
- Reporting Requirements
- Data Sharing Opportunities
- Bicycle and Pedestrian Count Data Portal



Manual Counts

WSDOT's Bicycle and Pedestrian Documentation Project

- Conducted annually since 2008, and now includes nearly 400 sites in over 50 communities across the state.
- In partnership with Cascade Bicycle Club, local, and regional agencies.
- Consistent with the National Bicycle and Pedestrian Documentation Project http://bikepeddocumentation.org/.



Permanent Counter Network

Permanent-Continuous Bicycle and Pedestrian Counter Installations and Data Collection

WSDOT continues to install permanent bicycle & pedestrian counters at locations across the state to better understand changes in bicycle and pedestrian volumes.

- Pilot Program
- 2015-17 Pedestrian and Bicycle Program Project: 50 permanent counters
- 2017-19 Pilot Communities Program: 21 additional permanent counters
- Portable bicycle and pedestrian counters

Bicycle and Pedestrian Count Data Uses

Estimate Volumes on the Network

- Facility Level
- Can be Aggregated to City, Region, and State Levels


Other Uses

- Safety Analysis/ Exposure Rates
- Regional Model Validations
- Project Prioritization/ Evaluations
- Planning and Design
- Trend Analysis/ Performance Reporting
- Economic Impact Studies
- Public Health Assessments
- Signal Timing



WSDOT's Bicycle and Pedestrian Data Portal

- WSDOT maintains an interactive web map of manual and permanent count locations statewide.
- http://www.wsdot.wa.gov/data/tools/bikepedcounts/





Bicycle and Pedestrian Volume Metrics

Annual Average Daily Non-motorized Traffic (AADNT)

- AADBT for bicycle traffic
- AADPT for pedestrian traffic


Bicycle Miles Traveled (BMT) and Pedestrian Miles Traveled (PMT)

WSDOT Research:

https://www.wsdot.wa.gov/research/reports/fullreports/828.1.pdf

NITC Research:

http://pdxscholar.library.pdx.edu/trec report s/128/




Collecting Network-wide Bicycle and Pedestrian Data

Guidebook for When and Where to Count

Available in September 2017

Researchers

- Krista Nordback, PhD, PE, University of North Carolina—Highway Safety Research Center
- Mike Lowry, PhD, PE, University of Idaho
- Dylan Johnstone, Portland State
 University—Transportation Research and Education Center




Types of Count Data

Network-wide count programs, such as Washington State's Bicycle and Pedestrian Count Program require:

- Permanent Continuous
- Short Duration Recurring (Manual Counts)
- Short Duration Special Purpose
 - Before/After Project Evaluations
 - Safety Studies

Recommended Manual Counting Methods


- Screenline Counts
- 10 locations per year per 100 centerline miles of roadway
- Select sites randomly





Recommended Manual Counting Methods

When to Count



Overview of How Network-Wide Count Programs Work

Step 1: Data Collection



Overview of How Network-Wide Count Programs Work

Step 2: Create Adjustment Factors

Factor groups have corresponding adjustment factors that are calculated using **continuous data** from communities within the same region.








Collecting Network-wide Bicycle and Pedestrian Data

Determine Factor Groups: Travel Patterns


Hourly counts plotted over the day



Commute


Peak volumes from 7-9am and 5-7pm are greater 11-1pm noon activity






Demonstrates morning and peak commute travel, but also active in the middle of the day

Non-Commute or Noon Activity




Users are active throughout daylight hours with peak usage around 11-1pm


Hourly counts plotted over the week



Higher volumes on the weekdays than weekends




Volumes are more distributed across weekdays and weekends



Higher volumes on weekends than weekdays

Collecting Network-wide Bicycle and Pedestrian Data

Determine Factor Groups: Climatic Zones



Overview of How Network-Wide Count Programs Work

Step 3: Apply Adjustment Factors

Estimated AADNT = Manual count data / Adjustment factor

Date	Time	Adjustment Factor	Manual Counts	Est-AADB
Sept. 28	AM	0.11	316	2,900
	PM	0.10	335	3,300
		Average Estima	ated AADB	3,100



Adjustment factors are applied to manual count data to estimate AADNT

Reporting Standards for Bicycle and Pedestrian Data

FHWA Standards

- Traffic Monitoring and Analysis System (TMAS)
 - 2016 Traffic Monitoring Guide Sections 7.9 and 7.10: <u>Coding Nonmotorized Station Location</u>
 <u>Information in the 2016 Traffic Monitoring Guide</u>
 Format
- Report data in 1 hour bins
- AADNT, AADBT, AADPT

Bicycle and Pedestrian Data Sharing

Additional Count Sites:

- Permanent Counters in Operation
- Additional Manual Counts
- Requests For New Installations

Ed Spilker

SpilkeE@WSDOT.WA.GOV 360-705-7387



WSDOT Region Bicycle and Pedestrian Coordinators

Jerry Compton

Eastern Region
COMPTON@wsdot.wa.gov
509-324-6196

Cynthia McGlothern

North Central Region MCGLOTC@wsdot.wa.gov 509-667-2910

Thomas Noyes

Northwest Region–Planning NOYEST@wsdot.wa.gov 206-464-1272

Barb Briggs

Northwest Region—Traffic BRIGGBA@wsdot.wa.gov 206-440-4486

Elizabeth Sjostrom

Northwest Region—Mt Baker Area SJOSTRE@wsdot.wa.gov 360-757-5984

TJ Nedrow

Olympic Region
NEDROWT@wsdot.wa.gov
360-357-2728

Paul Gonseth

South Central Region
GONSETP@wsdot.wa.gov
509-577-1630

Ken Burgstahler

Southwest Region

<u>BURGSTK@wsdot.wa.gov</u>

360-905-2052

WSDOT Active Transportation Contacts

Barb Chamberlain

Active Transportation Division Director ChambBa@WSDOT.WA.GOV 206-716-1130

Charlotte Claybrooke

Active Transportation Program Manager ClaybrC@WSDOT.WA.GOV 360-705-7302

Ed Spilker

State Bicycle and Pedestrian Coordinator SpilkeE@WSDOT.WA.GOV 360-705-7387







Bicycle Count Program

June 22, 2017




Manual Counts

- Started in 2008 with 6 count sites
- Since 2012, 18 count sites
- ~ 50 volunteers





Count Locations









Count Data


Location	Time	e Weather									Bike	Ped															
2008 locations		2008	2009	2010	2011	2012	2013	2014	2015	2016	2008#	2009#	2010#	2011#	2012#	2013#	2014#	2015#	2016#	2008#	2009#	2010#	2011#	2012#	2013#	2014#	2015#
Northwest Ave/Alderwood Ave	am	3	2	3	3	2	2	3	3	3	66	30	40	36	44	38	42	49	57	44	25	20	22	48	52	41	41
Northwest Ave/Alderwood Ave	pm	3	3	3	3	3	3	3	3	3	63	37	52	46	67	53	51	61	67	30	23	16	37	74	53	59	79
Cornwall Ave/Alabama St	am	2	2	3	2	3	2	3	3	3	70	62	44	51	70	51	69	66	60	40	37	41	45	58	55	66	43
Cornwall Ave/Alabama St	pm	2	2	3	3	3	2	3	3	3	67	70	52	47	70	44	77	64	70	38	77	32	67	52	44	58	60
Holly St/Railroad Ave	am	3	2	3	3	2	3	3	3	3	129	81	102	95	140	63	90	89	91	226	191	310	186	247	255	202	189
Holly St/Railroad Ave	pm	3	2	3	3	3	2	3	3	3	272	243	270	224	214	119	236	181	207	731	603	644	729	1011	783	788	836
South Bay Trail/Wharf St	am	2	2	3	3	3	2	3	3	3	38	27	40	38	40	27	41	34	52	38	39	36	58	43	30	43	69
South Bay Trail/Wharf St	pm	3	2	3	3	3	3	3	3	3	152	140	124	121	137	29	102	133	100	122	115	149	131	133	50	107	125
Fraser St/Racine St	am	2	2	3	2	3	2	3	3	3	34	14	23	18	40	12	14	25	29	11	17	41	20	59	63	38	30
Fraser St/Racine St	pm	2	2	3	3	3	2	3	3	3	38	22	41	34	28	12	34	37	37	61	29	58	51	39	38	58	53
Railroad Trail/Barkley Village	am	3	2	3	3	2	3	3	3	3	49	15	25	17	27	23	24	32	27	69	46	52	89	139	60	60	83
Railroad Trail/Barkley Village	pm	2	2	3	3	3	3	3	3	3	39	41	51	32	49	45	41	55	54	155	123	171	156	153	122	112	204
Totals:		30	25	36	34	33	29	36	36		1017	782	864	759	926	516	821	826	851	1565	1325	1570	1591	2056	1605	1632	1812
*in 2013, roundabout under construction at S. Bay/Wharf																											
New Locations in 2009	Time				V	Veather						Bike		Ped													
			2009	2010	2011	2012	2013	2014	2015	2016		2009#	2010#	2011#	2012#	2013#	2014#	2015#	2016#		2009#	2010#	2011#	2012#	2013#	2014#	2015#
Lakeway at Grant	am		2	3	3	3	3	3	3	3		38	34	45	34	33	43	38	36		37	33	43	45	66	45	56
Lakeway at Grant	pm		2	3	3	3	2	3	3	1		50	65	39	75	48	60	45	41		55	132	160	157	159	143	137
Cordata at Westerly	am		2	3	2	3	2	3	3	3		17	18	17	26	24	12	24	14		49	58	60	65	58	108	102
Cordata at Westerly	pm		2	3	3	3	2	3	3	3		14	13	26	35	26	27	22	25		81	156	115	147	156	177	180
E. Illinois at Memorial Park	am		2	3	3	3	2	3	3	3		31	26	39	32	25	29	15	45		28	11	29	48	109	48	58
E. Illinois at Memorial Park	pm		2	2	3	3	2	3	3	3		28	37	47	62	29	47	47	38		27	19	29	23	13	18	29
Dupont at 'F'	am		2	3	3	2	2	3	3	3		73	83	89	106	54	109	117	106		43	42	48	49	19	41	70
Dupont at 'F'	pm		2	3	3	3	2	3	3	3		62	82	147	140	78	138	136	135		55	62	52	64	64	94	63
21st at Bill McDonald Pkwy	am		2	3	2	3	3	3	3	3		80	88	68	96	59	73	77	66		393	462	394	485	399	438	504
21st at Bill McDonald Pkwy	pm		2	3	3	3	2	3	3	3		72	121	102	110	81	87	90	68		373	516	422	528	450	452	450
Totals:			20	29	28	29	22	30	30			465	567	619	716	457	625	611	574		1141	1491	1352	1611	1493	1564	1649
New Locations in 2010	Time				٧	Veather							Bike			Ped	Ped	Ped	Ped	Ped	Ped						
				2010	2011	2012	2013	2014	2015	2016			2010#	2011#	2012#	2013#	2014#	2015#	2016#			2010#	2011#	2012#	2013#	2014#	2015#
James at E. Orchard	am			3	3	3	3		3	3			9	12	15	6		3	7			5	7	2	1		4
James at E. Orchard	pm			3	3	3	2		3	3			20	12	14	4		16	30			8	7	9	4		6
Meador at James	am			3	3	2	3	3	3	3			32	49	52	50	50	48	53			22	20	28	34	28	32
Meador at James	pm			3	3	3	2	3	3	3			77	68	87	43	85	87	76			72	32	66	42	69	55
Lakeway at Lincoln	am			3	3	2	2	3	3	3			26	35	36	28	35	35	26			31	42	51	78	39	49
Lakeway at Lincoln	pm			3	3	3	3	3	3	3			79	72	54	50	43	44	61			129	142	124	139	111	99


Morning/Afternoon Comparison




Gender Data








Bike Count Locations







Added Benefits (beyond the numbers)

- Observe behaviors:
 - Wrong way/sidewalk riding
 - Actual routes vs assumed
 - Rider demographics
- Validate permanent count data
- Community Input
- Create Awareness





Tips for Volunteer Longevity

- Make it easy
- Personal contact
- Share data/stories







Next Steps

- Expand Short
 Term Counts
- PermanentCounters







Questions?

Thank you!

Kim Brown
ADA/Transportation Options Coordinator
City of Bellingham
kimbrown@cob.org

(360) 778-7950



SRTC Proposed Bicycle and Pedestrian Count Program

Update on Washington's Bike and Walk Data Network: How Permanent Counters & Annual Counts Work Together

June 22, 2017



Purpose

- Performance monitoring
 - Comply with FAST ACT Performance Management requirements
 - Commute-to-work does not represent all bike and walk trips
 - Stakeholder feedback: find more representative bike/ped data source
- Create <u>systematic process</u> to monitor use/performance over time
- ► Make jurisdictions <u>more competitive</u> when applying for funding



Reason to Conduct Counts

- Performance reports/trends
- Necessity for obtaining funding
- Safety analyses
- Project prioritization
- Project justification
- Facility Design



Components of Count Program

- ▶ Permanent Count Program
- ▶ Short Duration Count Program








Count Types

- Permanent Counts
 - 24-hour, year round data collection
 - Used to establish factors to translate short duration counts into Average Annual daily bike/walk trips (AADB or AADP)
- Short Duration Counts
 - Count one hour to one week (optimal)
 - Can be factored up to AADB or AADP

Factor Groups



Factor Calculation

- Develop Factors for Annualizing:
 - Hour of Day
 - Day of Week
 - Month of Year

 Adapted from Traffic Monitoring Guide (TMG)

AADB or AADP =
$$C_{known} * H * D * M$$

 C_{known} = known manual count for one hour

H = Hourly Factor

D = Daily Factor

M = Monthly Factor

Steps to Establish Factor Groups

- Develop Inventory of continuous count sites
- Determine Factor Groups through counts (or logic then verified by counts)



- ▶ Develop at least 3 permanent counters per factor group:
 - Urban Commute
 - Urban Recreational
 - Urban Mixed
 - Rural Commute
 - Rural Recreational
 - Rural Mixed

Estimated Budget

- >2-3 permanent counters within Factor Groups:
 - Urban Commute
 - Urban Recreational
 - Urban Mixed (both commute and rec)
 - Rural Commute
 - Rural Recreational
 - Rural Mixed
- ▶ Estimated Budget up to 24 permanent counters:
 - \$108,000 (+ 100 hrs labor)



Questions?

Thank you!

Amanda Mansfield
Associate Transportation Planner
Spokane Regional Transportation Council (SRTC)

<u>amansfield@srtc.org</u>
(509) 343-6384

